Casement

700 Series

OPTIONS

Casement windows come standard with a folding crank handle. Not only do they minimize the interference with blinds and other window treatments, but they also add that extra wow factor to complete your window order! OKNA Euro-White windows come standard with Euro-White hardware. All laminated windows will come standard with our Adobe Gray hardware. These options can be upgraded with the other hardware finishes for an extra fee.

OKNA Windows offers five beautiful internal laminates in addition to the standard Euro-White to give your home a distinct look and enhance its curb appeal. We also offer six optional exterior stock colors and custom exterior colors from a virtually unlimited selection of paints. Our paints are environmentally safe and durable, giving your exterior a vibrant and long-lasting color finish.

All colors except Euro-White are available at an additional charge. Printed colors may not match the product's color. Please visit a local dealer to view color samples.



Brushed Nickel (Optional)



Euro-White (Standard)



Cocoa (Optional on All Laminates)



Antique Brass (Optional)



Almond (Standard on Solid Almond)



Adobe Gray (Standard on All Laminates)



Matte Bronze (Optional)

Euro-White (Standard)

OLID

INTERIOR

Almond (Optional)

Natural (Optional)

Winchester (Optional)

Cognac (Optional)

Melrose Cherry (Optional)

Dark Oak (Optional)

Almond (Optional)

Sandstone (Optional*)

Terra Brown (Optional*)

> Cocoa (Optional)

Basic Brown
(Optional*)

EXTERIOR

Bronze (Optional)

Nicol's Black (Optional*)



* Surcharge applied for painted screens.

O VERVIEW

- Full 31/4" Depth uPVC Fusion Welded Frame and Sashes with beveled colonial exterior curves that are not only beautiful, but also allows for maximum weld surface resulting in outstanding strength and years of long-lasting performance.
- A Progressive Multi-Point Locking System allows for a
 weather-tight seal by drawing the sash firmly and securely
 to the master frame. The multi-point locking system also
 offers added security by providing additional points of
 reinforcement on the window.
- OKNA Casement Windows open fully for maximum ventilation and easy cleaning from inside the home.



- Folding Style Crank Handles are standard on all casement windows, minimize interference with blinds and other window treatments.
- The WOCD Device allows you to open your window no more than 4 inches when activated. To open the window fully, deactivate the device. When you are ready to reactivate it, simply close your window and the device is automatically activated.
- Coastal Hardware is available for coastal regions.



FEATURES

OKNA Windows offers a variety of features to customize your windows for any style. Our specialty glass options include Regular and Niagara Obscure (shown right), Tempered, Laminated, and Custom Configuration. ThruVision Plus®, our standard screen material, is a fiberglass improved visibility screen. This product improves the view from your windows and doors by making it sharper and more vivid, similar to high-definition technology for television.

Grids Between Glass (GBG) consist of aluminum bars sealed in the insulating airspace between the two panes of glass. Because the interior and exterior glass surfaces are not affected, cleaning your windows is a much easier task. GBG grids on two tone windows are available with matching interior and exterior colors.

Simulated Divided Light (SDL) permanent interior and exterior grids will provide a truly authentic divided light look. Interior grids are available in Euro-White or Wood Laminate. External grids are available in Euro-White or colors to match the products exterior.

Nicol's Black available on Euro-White two-tone 11/16 inch Contour Grid ONLY. Custom colors are not available on GBG.





S

S

V

S

CREEN

S








Awning Windows

Our Awning Windows offer a sleek, contemporary look and are practical in areas with obstructions. They can be used individually and as part of multiwindow configurations.



QUALITY GLASS


The glass unit is one of the most important elements of your new window. It is about 90% of the whole window. Your decision will dramatically affect your living comfort and expenses for many years. HeatSeal® heat reflective coatings are microscopically thin layers of metal & metal oxide that act like a filter – some energy is transmitted, some energy is reflected.



High Performance Reflective Glass Coatings

HIGH PERFORMANCE HEATSEAL SPACER

A spacer is the piece that is located between panels of glass in an insulating glass system. Its main function is to seal the gas space between them. Majority of windows, unlike OKNA Windows, are made with metal spacers. The main disadvantage to metal spacers is the conductivity that contributes to energy loss and condensation. Our HeatSeal® Spacer and sealant system is made with six individual nonmetallic components. Produced in a controlled factory setting and comes ready to use, out of the box: no assembly and no adding other components. Used in OKNA's state-of-the-art robotic assembly line, our spacer is applied with a one-step process where units are sealed using heat and compression. Our HeatSeal® Spacer guarantees your home the warmest glass and least condensation possible.



Examples of Condensation:
A good quality spacer
can significantly reduce
condensation in comfortable
humidity levels. Water and ice
forming can lead to
mold growth.







PERFORMANCE

When deciding on what glass package to choose, keep your environment in mind. Do you live in an area that it is mainly sunny and warm or one that has cold and warm weather? No matter what the answer is, we have a glass coating available to fit your needs. Our HeatSeal® glass is perfect for areas that tend to have fluctuating temperatures in the seasons. It helps to keep the warm air in during the winter and protect your home from the heat of the sun in the summer. For those who deal with warmer climates throughout the year, our SunSeal® glass will help block the heat from sunlight to keep your house cooler.

THERMAL PERFORMANCE

	U-Value	SHGC	VT	CR
HeatSeal® Glass Package				
Energy Saving Package - AG	0.25	0.27	0.49	63
Deluxe Package - AG	0.24	0.27	0.49	63
SunSeal® Glass Package (For Southern Climate)				
Energy Saving Package - AG	0.25	0.20	0.38	63
Deluxe Package - AG	0.24	0.20	0.38	63
HeatSeal® Super Glass Package				
Deluxe Package - AG (XR9)	0.19	0.23	0.38	71
Deluxe Package - KR (XR10)	0.15	0.23	0.38	77

STRUCTURAL PERFORMANCE

	Industry Minimum	700 CA
NAFS Rating resistance to wind	R15	R 50
Air Infiltration (cfm/ft2) at speeds of 25mph.	0.30	0.02
Water Penetration (mph) 8" per hour	33	56
Structural Integrity (mph) Wind load	94	171

XR9: Triple pane glass, 15/16" XR10: Triple pane glass, 15/16" AG: Argon Gas KR: Krypton Gas

The results are based on a tested window sample by AAMA testing window guidelines. Title of Test & Method: Air Infiltration - ASTM E 283 75 PA - (1.6 psf) 25 mph.





